

telephone system;

obtaining caller identifying information from each of said connected calls;

placing each or said connected calls on hold;

searching a customer database and identifying a customer database record corresponding to the caller identifying information obtained for each connected call;

retrieving information from said identified customer database records that is relevant to call prioritization;

creating a call record for each connected call, each call record including said caller identifying information and call priority data based upon said retrieved call prioritizing information;

inserting each created call record into a hold queue;

and

directing a connected call to an available agent based on said call priority data.

3. The method as claimed in claim 1, wherein said step of selecting a connected call to direct to an available agent comprises displaying a list of call records stored in said hold queue, including said caller identifying information and said call priority data for each said connected call on at least one available agent display and manually selecting a connected call to direct to said available agent.

4. The method as claimed in claim 1, wherein said step of selecting a connected call to direct to an available agent comprises;

comparing the retrieved call priority data stored in each call record with at least one predetermined prioritization attribute;

arranging the call records in the hold queue according to the call priority data comparison; and

automatically directing a connected call that enjoys a highest priority position in said hold queue arrangement to an available agent.

7. A hold queue prioritizing system comprising:

an automated telephone system;

a call receiver/director for connecting a plurality of calls to said automated telephone system;

a customer database including a plurality of database records, each database record including caller identifying information and information relevant to call prioritization;

a means for obtaining caller identifying information from each of said plurality of calls connected to said automated telephone system;

at least one hold queue coupled to said call receiver/director, said at least one hold queue for holding call records related to said plurality of connected calls;

a plurality of call center agent terminals coupled to  
said automated telephone system for handling said connected calls;  
and

sub 7  
B2  
A3  
a hold queue prioritizer responsive to said caller  
identifying information from each of said plurality of calls  
connected to said automated telephone system, for retrieving at  
least a portion of said call prioritizing information stored in  
each said database record corresponding to each connected call and  
for selecting a connected call to direct to an available agent  
responsive to said at least a portion of said call prioritizing  
information.

A4  
15. A system for prioritizing calls on hold and connected to  
an automated telephone system comprising:

sub 7  
B4  
a call receiver/director for receiving a plurality of  
calls connected to said automated telephone system and for  
directing said plurality of connected calls to a plurality of  
agent terminals coupled to said call receiver/director;

a customer database, including customer database records  
including caller identifying information and call prioritizing  
information;

a hold queue prioritizer, coupled to said call  
receiver/director, said hold queue prioritizer including:

a means for obtaining caller identifying information  
from each of said plurality of connected calls;

Sub  
B4

a means responsive to said obtained caller identifying information, for searching said customer database to identifying customer database records corresponding to said obtained caller identifying information for each of said plurality of connected calls, and retrieving said call prioritizing information from each of said identified customer database records;

A4

a means for creating a call record for each of said plurality of connected calls, each call record including said caller identifying information and said call prioritizing information;

at least one hold queue, coupled to said call hold queue prioritizer for storing said created call records; and

a means for selecting a connected call to direct to an available agent based on said call prioritizing information.